

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference P-37349	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. PCT/JP 01/03068	International filing date (day/month/year) 10/04/2001	(Earliest) Priority Date (day/month/year) 10/04/2000
Applicant  MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD. et al.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

## 1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing:

☐ contained in the international application in written form.

☐ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

☒ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

1

☐ None of the figures.

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
18 October 2001 (18.10.2001)


PCT

(10) International Publication Number  
**WO 01/78356 A2**

- (51) International Patent Classification<sup>7</sup>: **H04M 1/00**
- (21) International Application Number: **PCT/JP01/03068**
- (22) International Filing Date: **10 April 2001 (10.04.2001)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:  
**2000-108125** **10 April 2000 (10.04.2000)** **JP**
- (71) Applicant (*for all designated States except US*): **MAT-SUSHITA ELECTRIC INDUSTRIAL CO., LTD.** [JP/JP]; 1006, Oaza Kadoma, Kadoma-shi, Osaka, Osaka 571-0050 (JP).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **KAGAYA, Fumiaki** [JP/JP]; 3-29-5, Minamihikaridai, Izumi-ku, Sendai-shi, Miyagi 981-8003 (JP). **YOKOI, Shigeki** [JP/JP]; 44-10, Saitobuncho, Kanagawa-ku, Yokohama-shi, Kanagawa 221-0811 (JP).
- (74) Agents: **OGURI, Shohei** et al.; Eikoh Patent Office, ARK Mori Building, 28th Floor, 12-32, Akasaka 1-chome, Minato-ku, Tokyo 107-6028 (JP).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**  
— *without international search report and to be republished upon receipt of that report*

[Continued on next page]

(54) Title: **INFORMATION DISPLAY APPARATUS AND METHOD**



(57) Abstract: In information display apparatus (100) having voice call means (101), data on a sender database (104) is retrieved by data retrieval means (103) based on the sender number acquired via calling number acquisition means (102). Application selection means (109) uses terminal resource acquisition means (108) or network resource acquisition means (106) to acquire the resource described in the sender data based on the retrieved sender data and selects the application corresponding to the resource. Display means (111) displays the acquired resource via the application. This displays data related to the sender at call incoming, thus allowing the user to quickly recognize the information on the sender thus enhancing the convenience related to a call.

WO 01/78356 A2



*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## DESCRIPTION

## INFORMATION DISPLAY APPARATUS AND METHOD

Technical Field

5           The present invention relates to information display apparatus and method that can display electronic mail documents and image data equipped with a call processing protocol and a network protocol. Particularly, the invention relates to information display apparatus such as portable information  
10 terminals (e.g. personal digital assistants), a mobile telephone set, or a pager, which is adapted to display data related to a distant party when an incoming call has reached a called party or internet data or mail data on the distant party acquired from the network.

15 Background Art

          Terminals equipped with internet protocols for access to the internet and connection to a mail server has been in widespread use concerning portable information terminals, portable telephone sets and pagers, as well as wide-spreading of such  
20 terminals concerning internet browsers that uses HTML and WML and workstations and personal computers with the proliferation of mails.

          However, applications such as internet browsers and mails have been incorporated in terminals for displaying contents on  
25 the internet and mails. It was not possible to perform operation

linked with a terminal, such as displaying data related to the distant party or acquiring from the network and displaying internet data on the distant party or mail data at call incoming.

While the mail system linked with a telephone set described  
5 in the Japanese Patent Publication H07-99508/(1995) discloses a mail system that automatically displays related mails when a call is originated, the system additionally required a user ID and a telephone number correspondence table and a user state variable table in a mail center on top of a related art mail  
10 system. This made it necessary to provide a mail center anew. Thus, an existing mail system cannot be used.

#### Disclosure of Invention

The invention aims at solving such problems and providing information display apparatus that allows a called party to  
15 quickly recognize information of the calling party in linkage with an incoming call, by using an existing internet or mail system, to display mail data on the sender or information such as internet data at call incoming.

Information display apparatus according to the invention  
20 comprises voice call means for making voice calls via lines, calling number acquisition means for acquiring the telephone number of a calling party at call incoming, data retrieval means for retrieving sender data acquired via the calling number acquisition means from a sender database that can store a  
25 plurality of data sets, each data set comprising a sender name

and address, mail address and a network resource (URL) associated with a sender number as well as terminal resources such as text data and graphic data stored in the memory on a terminal, data communication means equipped with an interface for making data communications via lines, network resource acquisition means equipped with a series of network protocols for acquiring network resources by using the data communication means, terminal resource acquisition means for acquiring resources on terminals, application selection means for acquiring a network or a terminal resource corresponding to a predetermined or used-defined calling number from sender data retrieved via the data retrieval means and for selecting the application corresponding to the acquired resource, and display means for displaying on the screen the resource and the application selected via the application selection means.

Via this configuration, it is possible to identify the location and type of a resource from a pre-associated database based on a sender number obtained at call incoming and to display local or network data, thereby quickly recognizing the sender data.

Information display apparatus according to the invention is characterized in that the information display apparatus further comprises a display priority table whereby the user can set which resource is to be displayed first from a set of data described in the sender data retrieved via the data retrieval

means.

Via this configuration, it is possible for the user to display arbitrary data among sender data at call incoming.

Information display apparatus according to the invention  
5 is characterized in that the display means further comprises additional information selection means in order to display data together with additional information preset by the data or application to be displayed.

Via this configuration, additional information is  
10 incorporated into to data displayed at call incoming thus making it easier to recognize the sender information.

Information display apparatus according to the invention is characterized in that, in case a resource to be displayed is mail data, the application selection means retrieves mail  
15 data for the mail address described in the sender data retrieved by the data retrieval means from a plurality of mail data sets stored in the memory on a terminal that have been received via the terminal resource acquisition means, and in case corresponding mails are present, selects the mail application  
20 to automatically display the mails.

Via this configuration, it is possible to automatically display mail data stored in the terminal based on the sender data corresponding to the sender at call incoming.

Information display apparatus according to the invention  
25 is characterized in that, in case a resource to be displayed

is mail data, the application selection means automatically connects to a prespecified mail server via the network resource acquisition means and retrieves mail data corresponding to the mail address described in the sender data retrieved by the data  
5 retrieval means from mail data on the server, and in case corresponding mails are present, acquires mail data from the server and selects the mail application to automatically display the mails.

Via this configuration, it is possible to automatically  
10 display mail data on the mail server based on the sender data corresponding to the sender at call incoming.

Information display apparatus according to the invention is characterized in that, in case a resource to be displayed is mail data, the application selection means retrieves mail  
15 data on the mail server via the network resource acquisition means, and retrieves mail data stored in the memory on a terminal via the terminal resource acquisition means to retrieve and acquire the latest mail data from both the network and the terminal, then selects the mail application to display the latest mail  
20 data.

Via this configuration, retrieve mail data on a terminal and mail data on a server are retrieved based on the sender data corresponding to the sender at call incoming. Thus it is possible to display the latest mail data at all times.

25 Information display apparatus according to the invention



is characterized in that, in case a resource to be displayed is a resource on the network (URL), the application selection means automatically acquires the corresponding URL data via the network resource acquisition means and selects a web browser application to display the URL data.

Via this configuration, a network resource is acquired and displayed based on the sender data corresponding to the sender at call incoming. Thus it is possible to quickly recognize information related to the sender.

10 Information display apparatus according to the invention is characterized in that, in case a resource to be displayed is a resource on the terminal such as text data and graphic data, the information display apparatus acquires the corresponding file or data via the terminal resource acquisition means and  
15 selects a web browser application to display the resource.

Via this configuration, data stored in the memory on a terminal is acquired and displayed based on the sender data corresponding to the sender at call incoming. Thus it is possible to quickly recognize information related to the sender.

20 Information display apparatus according to the invention is characterized in that the display means displays data together with sound, music data or voice data preset by the data or application to be displayed.

Via this configuration, the user can recognize the sender  
25 data displayed on a screen without watching the terminal screen

at call incoming.

Information display apparatus according to the invention is characterized in that the display means displays data together with a background color or background data preset by the data  
5 or application to be displayed.

Via this configuration, the user can recognize the sender data once he/she has taken a glimpse of a terminal screen at call incoming.

Information display apparatus according to the invention  
10 is characterized in that the sender database is stored in a server on the network and accessed via the network resource acquisition means at call incoming for retrieval and acquisition of the sender data corresponding to the sender number.

Via this configuration, the user can make use of a sender  
15 database located on a specific server without updating the sender database.

Information display apparatus according to the invention is characterized in that the sender database is stored in the memory on a terminal and a server on the network and that the  
20 data retrieval means searches the sender database stored in the memory at call incoming and, in case the corresponding sender data is not present, accesses the sender database via the network resource acquisition means to search the sender database on the server for target data.

25 Via this configuration, it is possible to acquire and

automatically display sender information on a sender not known to the user via the sender database located on a specific server at call incoming.

Brief Description of Drawings

5           Fig. 1 is a block diagram showing a configuration of information display apparatus according to the first embodiment of the invention;

          Fig. 2 is a block diagram showing a configuration of information display apparatus according to the second embodiment  
10 of the invention;

          Fig. 3 is a block diagram showing a configuration of information display apparatus according to the third embodiment of the invention;

          Fig. 4 shows an example of a sender database according  
15 to the first through third embodiments of the invention;

          Fig. 5A shows an example of sender data retrieved by data retrieval means according to the first through third embodiments of the invention;

          Fig. 5B shows an example of a display priority table  
20 according to the second and third embodiments of the invention;

          Fig. 5C shows an example of an application table according to the first through third embodiments of the invention;

          Fig. 5D is a flowchart showing the operation of application selection means according to the first through third embodiments  
25 of the invention;

Fig. 6 is a block diagram showing a configuration of information display apparatus according to the fourth embodiment of the invention; and

Fig. 7 is a block diagram showing a configuration of information display apparatus according to the fifth embodiment of the invention.

Best Mode for Carrying out the Invention

Embodiments of the invention will be described referring to the drawings.

10 (First embodiment)

Fig. 1 is a block diagram showing the configuration of a first embodiment of the invention. In information display apparatus 100, voice call means 101 is voice call means for making voice calls via lines and calling number acquisition means 102 is calling number acquisition means for acquiring the telephone number of a calling party at call incoming. Sender database 104 is a sender database that can store plurality of data sets, each data set comprising a sender name and address, mail address and a network resource (URL) associated with a sender number as well as terminal resources such as text data and graphic data stored in the memory on a terminal. Data retrieval means 103 is data retrieval means that retrieves and acquired sender data corresponding to the sender number acquired via the calling number acquisition means 102 acquired via the calling number acquisition means from a sender database from the sender database

104.

Data communication means 105 is data communication means equipped with an interface for making data communications via lines. Network resource acquisition means 106 is network  
5 resource acquisition means equipped with a series of network protocols for accessing network resources via the data communication means. A storage 107 indicates a memory on a terminal and is a storage for storing terminal resources such as text string data, graphic data, music data and mail data.  
10 Terminal resource acquisition means 108 is terminal data acquisition means for acquiring a specified terminal resource.

Application storage means 110 is storage means for storing mail applications and web browser applications stored in the memory on a terminal. Application selection means 109 is  
15 selection means for determining whether the resource to be displayed is a terminal resource or a network resource from the resource described in the sender data retrieved via the data retrieval means 103, acquiring the resource via the terminal resource acquisition means 108 or the network resource  
20 acquisition means 106, and selecting the application corresponding to the resource from the application storage means 110. Display means 111 is display means for displaying the application and the acquired resource selected via the application selection means 109.

25 Operation outline of the first embodiment of the invention

will be described by using Fig. 1. The voice call means 101 notifies the calling number acquisition means 102 of call incoming at incoming of a voice call. The calling number acquisition means 102, acquiring the sender number, outputs the  
5 sender number to the data retrieval means 103. The data retrieval means 103 retrieves sender data from the sender database 104 based on the sender number output from the calling number acquisition means 102 and outputs the sender data to the application selection means 109.

10 The application selection means 109 determines whether the resource to be displayed is a terminal resource or a network resource based on the resource described in the sender data output from the data retrieval means 103, acquires the resource via  
15 the terminal resource acquisition means 108 or the network resource acquisition means 106, selects the application corresponding to the resource from the application storage means 110, and outputs the resource and the application to the display means 110. The display means 110 displays the resource and the application output from the application selection means 109.

20 As mentioned earlier, according to the first embodiment of the invention, a resource on a terminal or the network is acquired and displayed from the sender data corresponding to the sender number at call incoming. This eliminates the need for retrieving the data corresponding to the sender after the  
25 called party has answered the incoming call, allowing the data

related to the user to be recognized quickly thus enhancing the convenience related to a call.

(Second embodiment)

Fig. 2 shows a second embodiment of the invention, which  
5 differs from the first embodiment in that a display priority  
table 112 is further provided in the application selection means  
109. The display priority table 112 is a user-defined table  
that describes which resource is to be displayed first among  
a plurality of resource names or resource locations described  
10 in the sender data retrieved via the data retrieval means 103.

Operation outline of the second embodiment of the invention  
is similar to that of the first embodiment, except that the  
application selection means 109 references the display priority  
table 112 before acquiring a resource to be displayed in the  
15 determination process.

As mentioned earlier, according to the second embodiment  
of the invention, a resource corresponding to the sender number  
is displayed in accordance with the display priority table 112  
preset by the user. This makes it easy for the user to recognize  
20 sender data thus enhancing the convenience related to a call.

(Third embodiment)

Fig. 3 shows a third embodiment of the invention, which  
differs from the first embodiment in that additional information  
selection means 113 is further provided in the display means  
25 111. The additional information selection means 113 acquires

additional information described in the sender data output from the data retrieval means 103 via the terminal resource acquisition means 108 to display the additional information together with the resource and the application, in displaying  
5 the resource and the application output from the application selection means 109.

Operation outline of the third embodiment of the invention is similar to that of the first embodiment, except that the display means 111 displays the additional information described in the  
10 sender data output from the data retrieval means 103 via the terminal resource acquisition means 108, together with the resource and the application, in displaying the resource and the application output from the application selection means 109.

As mentioned earlier, according to the third embodiment  
15 of the invention, the resource described in the sender data via the selected application together with additional information. This allows the user to recognize sender data more easily.

Fig. 4 shows an example of the sender database according to the first through third embodiments of the invention. The  
20 database has a plurality of sender data sets 202 through 203. Each of the sender data sets 201, 202, 203 has fields for describing a sender number, a corresponding name, mail address, web page, text data, graphic data, image data, background display data, and voice or music data.

25 The data retrieval means 103 in the first through third



embodiments of the invention retrieves sender data that matches the sender database 104 (of which the configuration is shown in Fig. 4) and the calling number acquisition means 102. Storage of sender data into the sender database and retrieval of sender data use a method such as simple matching and hashing. The same advantage is obtained when the sender data uses an arbitrary field name and an arbitrary field on top of the field names shown in the example of Fig. 4.

Next, operation of the application selection means in the first through third embodiments of the invention will be described. Fig. 5A shows an example of the display priority table 301, with the resources specified in the order of priority, mail address, text data, graphic data, image data and web data. Fig. 5B is an example of the application table where applications to be selected are keyed to the resources displayed. In case the resource is a mail address, the mail application is selected. In case the resource is a web page, text data, graphic data or image data, the web browser application is selected.

Fig. 5D shows the operation flow of the application selection means 109. The flow of Fig. 5D will be explained below. The application selection means 109, receiving output of sender data from the data retrieval means 103, initializes the priority N (step 303). Then the application selection means 10 determines whether the resource corresponding to the priority N is described in the sender data field (step 304). In case the resource

corresponding to the priority N is not described, 1 is added to the priority N (step 305) and investigation of the corresponding resource is retried.

In case the resource corresponding to the priority is  
5 described, the application selection means 10 determines whether the resource is a mail address. In case the resource is a mail address, connection is established to mail data corresponding to mail addresses stored in the memory on a terminal and a predetermined mail server for retrieval of mail data on the mail  
10 server (step 307).

Internet mails have mail sending date recorded in the mail data thus comparison between mails is easy. The mail data determined to be the latest mail is acquired via the terminal resource acquisition means 108 or network resource acquisition  
15 means 106 (step 308), followed by next operation.

In case the resource is not a mail address, it is determined whether the resource is stored in the memory on a terminal or is a network resource (step 309). In practice, the head character string of the resource description is checked concerning whether  
20 the string is described in a schema using a network protocol (typically "http://" or "ftp://").

In case the resource is a network resource, a request for acquisition of the resource corresponding to the network resource acquisition means 106 is made to acquire the network resource  
25 (step 310). In case the resource is determined to be a resource

on a terminal, the resource corresponding to the terminal resource acquisition means 108 is acquired (step 311).

Next, the application selection means 109 references the application table 302 to select an application (step 312) and  
5 outputs the resource name, application name and additional information described in the sender data (step 313) to terminate the operation. In this example, the resource is the resource on a terminal "kono.jpg", the application is the web browser, and additional information is that backlight is output is green.

10 [0052]

As mentioned earlier, the application selection means 109 in the third embodiment of the invention acquires from a terminal or the network a resource to be displayed based on the sender data output from the data retrieval means 103 that is based on  
15 the display priority table 112 to select an application corresponding to the resource. This displays the resource intended by the user at call incoming so that it is possible to display, as sender information, arbitrary data including company data of the sender, sender's identification photograph  
20 and profile, instead of just displaying the sender number or name data of the sender as in related art portable telephone sets.

(Fourth embodiment)

Fig. 6 shows a fourth embodiment of the invention, which  
25 differs from the first to third embodiments in that the sender

database 104 is provided in a server 120 on the network. The information display apparatus 100 communicates with the server 120 on the network via the internet, LAN, WAN and/or public networks. Data retrieval means 103 searches the sender database 104. Method of processing data including display information in this embodiment is as shown in Fig. 1.

(Fifth embodiment)

Fig. 7 shows a fifth embodiment of the invention, which differs from the first to fourth embodiments in that the sender databases are provided in a terminal and a server on the network. The terminal is provided with the sender database 104 and the server on the network a sender database 121. Method of processing data including display information in this embodiment is as shown in Fig. 1.

As mentioned earlier, according to the fifth embodiment of the invention, it is possible to acquire and automatically display the information on the sender not known to the user, the information not found in the sender database 104 on the user terminal, by using the sender database on a specific server, thus allowing the user to acquire information of the sender before answering a call.

#### Industrial Applicability

As mentioned earlier, according to the invention, the voice call means notifies the calling number acquisition means of call incoming at incoming of a voice call. The data retrieval means

searches the sender database for the sender data corresponding to the acquired sender number. The application selection means acquires the resource corresponding to the sender described in the sender data via the terminal resource acquisition means or network resource acquisition means, and selects the application corresponding to the resource. The display means displays the resource by using the selected application. The user has only to register the internet resource (URL) information on the company of a sender in a database for later display of company data, or has only to register image data such as a sender's identification photograph and notes in a database for display of such data at call incoming. This allows the user to quickly recognize the information on the distant party thus enhancing the convenience related to a call.

15

## CLAIMS

1. Information display apparatus comprising:

voice call means for making voice calls via lines;

5 calling number acquisition means for acquiring the telephone number of a calling party at call incoming;

data retrieval means for retrieving sender data acquired via said calling number acquisition means from a sender database that can store a plurality of data sets, each data set comprising  
10 a sender name and address, mail address and a network resource (URL) associated with a sender number as well as terminal resources such as text data and graphic data stored in the memory on a terminal;

data communication means equipped with an interface for  
15 making data communications via lines;

network resource acquisition means equipped with a series of network protocols for acquiring network resources by using said data communication means;

terminal resource acquisition means for acquiring  
20 resources on terminals;

application selection means for acquiring a network or a terminal resource corresponding to a predetermined or used-defined calling number from sender data retrieved via said data retrieval means and for selecting the application  
25 corresponding to the acquired resource; and

display means for displaying on the screen the resource and the application selected via said application selection means.

5           2.     Information display apparatus according to claim 1, further comprising a display priority table to make the user be able to set which resource is to be displayed first from a set of data described in the sender data retrieved via said data retrieval means.

10           3.     Information display apparatus according to claim 1 or 2, wherein said display means further comprises additional information selection means and that said display means acquires additional information via said terminal resource acquisition  
15 means in accordance with additional information described in said sender data in order to display data together with the additional information.

          4.     Information display apparatus according to any one  
20 of the preceding claims, wherein, in case a resource to be displayed is mail data, said application selection means retrieves mail data for the mail address described in the sender data retrieved by said data retrieval means from a plurality of mail data sets stored in the memory on a terminal that have  
25 been received via said terminal resource acquisition means, and

in case corresponding mails are present, selects the mail application to automatically display the mails.

5           5.       Information display according to any one of the  
preceding claims, wherein, in case a resource to be displayed  
is mail data, said application selection means automatically  
connects to a prespecified mail server via said network resource  
acquisition means and retrieves mail data corresponding to the  
mail address described in the sender data retrieved by said data  
10 retrieval means from mail data on the server, and in case  
corresponding mails are present, acquires mail data from the  
server and selects the mail application to automatically display  
the mails.

15           6.       Information display apparatus according to any one  
of the preceding claims, wherein, in case a resource to be  
displayed is mail data, said application selection means  
retrieves mail data on the mail server via said network resource  
acquisition means, and retrieves mail data stored in the memory  
20 on a terminal via said terminal resource acquisition means to  
retrieve and acquire the latest mail data from both the network  
and the terminal, then selects the mail application to display  
the latest mail data.

25           7.       Information display apparatus according to any one



of the preceding claims, wherein, in case a resource to be displayed is a resource on the network (URL), said application selection means automatically acquires the corresponding URL data via said network resource acquisition means and selects  
5 a web browser application to display the URL data.

8. Information display apparatus according to any one of the preceding claims, wherein, in case a resource to be displayed is a resource on the terminal such as text data and  
10 graphic data, said information display apparatus acquires the corresponding file or data via said terminal resource acquisition means and selects a web browser application to display the resource.

15 9. Information display apparatus according to any one of the preceding claims, wherein said display means displays data together with sound, music data or voice data preset by the data or application to be displayed.

20 10. Information display apparatus according to any one of the preceding claims, wherein said display means displays data together with a background color or background data preset by the data or application to be displayed.

25 11. Information display apparatus according to any one

of the preceding claims, wherein said sender database is stored in a server on the network and accessed via said network resource acquisition means at call incoming for retrieval and acquisition of the sender data corresponding to said sender number.

5

12. Information display apparatus according to any one of the preceding claims, wherein sender database is stored in the memory on a terminal and a server on the network and that said data retrieval means searches the sender database stored in said memory at call incoming and, in case the corresponding sender data is not present, accesses the sender database via said network resource acquisition means to search the sender database on the server for target data.

15 13. A portable information terminal, wherein said portable information terminal uses radio link networks and comprises information display apparatus according to any one of the preceding claims.

20 14. A telephone set using public networks and comprising information display apparatus according to any one of claims 1 through 12.

25 15. Information display method comprising the steps of:  
acquiring the telephone number of a calling party at call

incoming;

retrieving sender data acquired via said calling number acquisition step from a sender database that can store a plurality of data sets, each data set comprising a sender name and address, mail address and a network resource (URL) associated with a sender number as well as terminal resources such as text data and graphic data stored in the memory on a terminal;

acquiring network resources and resources on terminals;

acquiring a network or a terminal resource corresponding to a predetermined or used-defined calling number from sender data retrieved via said data retrieval means;

selecting the application corresponding to the acquired resource; and

displaying on the screen the resource and the application selected via said application selection means.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5A

300

SENDER DATA	
SENDER NUMBER	070-3333-4444
NAME	Mitsuru KONO
MAIL ADDRESS	
WEB PAGE	<a href="http://www.srd.mci.mei.co.jp">http://www.srd.mci.mei.co.jp</a>
TEXT DATA	
GRAPHIC DATA	
IMAGE DATA	konojpg
BACKGROUND	BACKLIGHT/GREEN
SOUND	

FIG. 5B

301

DISPLAY PRIORITY TABLE	
PRIORITY	DISPLAY RESOURCE
1	MAIL ADDRESS
2	TEXT DATA
3	GRAPHIC DATA
4	IMAGE DATA
5	WEB PAGE

FIG. 5C

302

APPLICATION TABLE	
DISPLAY RESOURCE	APPLICATION
MAIL ADDRESS	MAIL APPLICATION
WEB PAGE	WEB BROWSER APPLICATION
TEXT DATA	WEB BROWSER APPLICATION
GRAPHIC DATA	WEB BROWSER APPLICATION
IMAGE DATA	WEB BROWSER APPLICATION



FIG. 5D




FIG. 6





FIG. 7



(19) World Intellectual Property Organization  
International Bureau



10/009073

(43) International Publication Date  
18 October 2001 (18.10.2001)

PCT

(10) International Publication Number  
WO 01/78356 A3

(51) International Patent Classification<sup>7</sup>: H04M 1/57

Saitobuncho, Kanagawa-ku, Yokohama-shi, Kanagawa  
221-0811 (JP).

(21) International Application Number: PCT/JP01/03068

(22) International Filing Date: 10 April 2001 (10.04.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
2000-108125 10 April 2000 (10.04.2000) JP

(71) Applicant (for all designated States except US): MAT-  
SUSHITA ELECTRIC INDUSTRIAL CO., LTD.  
[JP/JP]; 1006, Oaza Kadoma, Kadoma-shi, Osaka, Osaka  
571-0050 (JP).

(74) Agents: OGURI, Shohei et al.; Eikoh Patent Office, ARK  
Mori Building, 28th Floor, 12-32, Akasaka 1-chome, Mi-  
nato-ku, Tokyo 107-6028 (JP).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM,  
HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (for US only): KAGAYA, Fumiaki  
[JP/JP]; 3-29-5, Minamihikaridai, Izumi-ku, Sendai-shi,  
Miyagi 981-8003 (JP). YOKOI, Shigeki [JP/JP]; 44-10,

Published:

— with international search report


[Continued on next page]

(54) Title: INFORMATION DISPLAY APPARATUS AND METHOD

RECEIVED

MAY 17 2002

Technology Center 2600



(57) Abstract: In information display apparatus (100) having voice call means (101), data on a sender database (104) is retrieved by data retrieval means (103) based on the sender number acquired via calling number acquisition means (102). Application selection means (109) uses terminal resource acquisition means (108) or network resource acquisition means (106) to acquire the resource described in the sender data based on the retrieved sender data and selects the application corresponding to the resource. Display means (111) displays the acquired resource via the application. This displays data related to the sender at call incoming, thus allowing the user to quickly recognize the information on the sender thus enhancing the convenience related to a call.

WO 01/78356 A3



— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**(88) Date of publication of the international search report:**  
25 April 2002

# INTERNATIONAL SEARCH REPORT

Int. .tional Application No

PCT/JP 01/03068

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04M1/57

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 464 610 A (SIEMENS AG) 8 January 1992 (1992-01-08)  abstract column 1, line 1 - line 10 column 1, line 51 -column 4, line 19 column 6, line 32 -column 9, line 1 figure 1  ---	1,3,7,8, 10-12, 14,15
A	GB 2 306 853 A (MITEL CORP) 7 May 1997 (1997-05-07)  page 2, line 10 -page 3, line 19 page 4, line 14 -page 5, line 26 page 7, line 13 -page 9, line 12 page 11, line 1 - line 8 figures 2-4  ---  -/--	1,3,4,8, 10-12, 14,15

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*Z\* document member of the same patent family

Date of the actual completion of the international search

18 February 2002

Date of mailing of the international search report

22/02/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Fragua, M

# INTERNATIONAL SEARCH REPORT

Int. Application No

PCT/JP 01/03068

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>US 5 907 604 A (HSU) 25 May 1999 (1999-05-25)</p> <p>abstract column 1, line 66 -column 2, line 42 column 3, line 49 -column 4, line 51 column 5, line 23 -column 6, line 53 figures 1-4</p>	<p>1,3, 7-10,12, 14,15</p>
A	<p>US 5 761 279 A (MUNTER ET AL) 2 June 1998 (1998-06-02)</p> <p>abstract column 2, line 9 - line 46 column 2, line 63 -column 4, line 47 figures 1-5</p>	<p>1,3,7,8, 11,12, 14,15</p>
A	<p>GB 2 318 703 A (MITEL CORP) 29 April 1998 (1998-04-29) page 2, line 15 - line 27 page 3, line 1 - line 16 page 8, line 25 -page 11, line 19 page 15, line 9 -page 20, line 27 page 22, line 19 -page 23, line 14 figures 1,2,2B,3,9A,9B</p>	<p>1,3,8,9, 12,14,15</p>
A	<p>EP 0 944 224 A (BOSCH GMBH ROBERT) 22 September 1999 (1999-09-22) column 1, line 20 - line 51 column 2, line 34 -column 3, line 17 figures 1,2</p>	<p>1,3,8, 12,14,15</p>

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/JP 01/03068

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0464610	A	08-01-1992	EP 0464610 A2	08-01-1992
GB 2306853	A	07-05-1997	CA 2161506 A1	27-04-1997
			DE 19644210 A1	30-04-1997
			SE 9603855 A	27-04-1997
US 5907604	A	25-05-1999	NONE	
US 5761279	A	02-06-1998	NONE	
GB 2318703	A	29-04-1998	CA 2186928 A1	01-04-1998
			DE 19743459 A1	16-04-1998
			FR 2756444 A1	29-05-1998
			IE 970702 A1	08-04-1998
EP 0944224	A	22-09-1999	DE 19811721 A1	23-09-1999
			EP 0944224 A2	22-09-1999